'PEACH PEARL' PPAF
'PINK PEARL' PPAF
'PRINCE'S PLUME' PPAF
'PARADE OF PARROTS' PPAF

Agastache hybrida

1st YEAR Flowering

- First year flowering, no vernalization or bulking required
- Early and uniform bloom
- Re-blooms for color all summer long
- Strong radial branching

Upright

45-50 cm
18-20 in

50-55 cm
20-22 in

Zone
6-10

15-18
Gal+

Landscape

TERRA NOVA NURSERIES, INC.

Pink pearl

DANZIGER

'PEACH PEARL' PPAF, **'PINK PEARL'** PPAF, **‘PRINCE’S PLUME’** PPAF **'PARADE OF PARROTS'** PPAF

1st YEAR Flowering

Peach Pearl ***PPAF***

Prince’s Plume ***PPAF***

Pink Pearl ***PPAF***

Parade of parrots ***PPAF***

TERRA NOVA NURSERIES, INC.

DANZIGER

PROPAGATION TIPS

PEACH PEARL, PINK PEARL, PRINCE'S PLUME & PARADE OF PARROTS

Agastache Hybrida

For additional information and availability: PEACH PEARL | PINK PEARL | PRINCE'S PLUME | PARADE OF PARROTS

Stick on priority – Number 2 out of 4 categories

Average Time	Temperature	Hormone	Fertilization	Fungicide
5 weeks	Weeks 1 - 2 70°-72° F (21° - 22°C)	Optional	Weeks 1-2 50 ppm N	Spray fungicide to control Botrytis and bacteria day of sticking
	Weeks 3 - 5 65° - 68° (18° - 20° C)		Weeks 3-4 100 to 125 ppm	Day of sticking & Week 2

Rooting	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 1	5.6/6.2	0.80	70°/72°F (21°/22°C)	50 ppm N in mist	Optional		Day of sticking	
Week 2	5.6 to 6.2	.80 to .90	70°/72°F (21°/22°C)	50 ppm N in mist			Second fungicide app	
Week 3	5.6 to 6.2	.90 to 1.0	Cool to 68°/70°F (20°/21°C)	Feed 100 ppm N				
Week 4	5.6 to 6.2	.90 to 1.0	68° to 70°F (20° to 21°C)	Feed 100 ppm N				
Week 5	5.6 to 6.2	.90 to 1.0	68° to 70°F (20° to 21°C)	Feed 100 ppm N		Optional		

- **Irrigation specification –** Spray with adjuvant the day of sticking/Remove from mist as soon as possible. Avoid saturated soil conditions.

Daminozide spray application @ 1500 ppm week 4 may be required to control stretch in liner stage. Once rooted, allow soil to dry slightly between irrigations

TERRA NOVA NURSERIES, INC. DANZIGER

FINISHING TIPS

PEACH PEARL, PINK PEARL, PRINCE'S PLUME & PARADE OF PARROTS

Agastache Hybrida

For additional information and availability:

PEACH PEARL | PINK PEARL | PRINCE'S PLUME | PARADE OF PARROTS

- High quality plants are finished with high light and cool temperatures
- Pinch at transplant
- Allow some growth under short days to 'bulk plants before initiation

Average Time (from liners)	Temperature	Pinch/ Daylength Modification	Fertilization	Plant Growth Regulator
8 to 10 wks	Average Day	Pinch required/ long day flowering response	100 - 150 ppm N	Daminozide spray at 2,000 to 2,500 ppm
15 cm (1 gallon)	(16°-18° C)			
10 to 12 wks	1-2 plants per container		Soil EC 0.8 - 1.0 pH 5.6 to 6.5	
20 cm (2 gallon)				

- Facultative Long Day Flowering Response – June through September
- Natural foliar disease tolerance
- Maintain good airflow and allow plants to dry between irrigations
- Drench after transplant for Rhizoctonia and Pythium / Phytophthora

Pests	Aphids	ACETAMIPRID, FLONICAMID, IMIDACLOPRID,DICHLORVOS
	Thrips	METHIOCARB,ACRINATHRIN, ABAMECTIN, DICHLORVOS, SPINOSAD
Diseases	Botrytis	CYPRODINIL+FLUDIOXONIL, IPRODIONE, POLYOXIN
	Pythium Phytophthora	PROPAMOCARB / MEFENOXAM
	Rhizoctonia	AZOXYSTRONBIN / ETRIDIAZOLE / FLUDIOXONIL / PCNB / Triflumizole

Finishing	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 6 Transplant	5.6 to 6.2	0.8 to 1.0	65° to 68° F (18° to 20° C)	feed 100 to 150 ppm			Drench fungicide after transplant	Control of Pythium & Phytophthora
Week 6 to 12	5.6 to 6.2	0.8 to 1.0	60° to 65° F (16° to 18° C)	feed 150 to 200 ppm		Daminozide spray at 2,000 to 2,500 ppm	Spray fungicide in finishing protocols	Control of Bacterial Leaf Blights

TERRA NOVA NURSERIES, INC. DANZIGER